


**Scenario3****Sneekzijde**

noordwestzijde		moot	noordoostzijde	
putnr	max m3/uur		putnr	max m3/uur
1	229	17	227	
23				
2	232	18	217	
24				
3	173	19	162	
25				
4	150	20	151	
26				
5	144	21	144	
27				
6	118	22	118	
28				
7	111	23	111	
29				
8	104	24	104	
30				
9	97	25	94	
31				
10	81	26	78	
32				
11	72	27	72	
33				
12	68	28	68	
34				
13	50	29	49	
35				
14	44	30	44	
36				
15	25	31	24	

**Jourezijde**

zuidwestzijde		moot	zuidoostzijde	
putnr	max m3/uur		putnr	max m3/uur
33	245	51	242	
22				
34	236	52	237	
21				
35	192	53	192	
20				
36	176	54	175	
19				
37	169	55	168	
18				
38	159	56	161	
17				
39	152	57	153	
16				
40	146	58	147	
15				
41	121	59	125	
14				
42	115	60	116	
13				
43	108	61	109	
12				
44	97	62	97	
11				
45	75	63	76	
10				
46	67	64	68	
9				
47	69	65	70	
8				
48	53	66	53	
7				
49	33	67	33	



Sneekzijde  
noordwestzijde

putnr	min put peil
1	-25
2	-25
3	-18
4	-17
5	-16
6	-14
7	-13
8	-12
9	-11
10	-10
11	-9
12	-8
13	-7
14	-6
15	-5

noordoostzijde

putnr	min put peil
17	-25
18	-25
19	-18
20	-17
21	-16
22	-14
23	-13
24	-12
25	-11
26	-10
27	-9
28	-8
29	-7
30	-6
31	-5

Jourezijde  
zuidwestzijde

putnr	min put peil
33	-27
34	-27
35	-22
36	-21
37	-20
38	-19
39	-18
40	-17
41	-15
42	-14
43	-12
44	-11
45	-10
46	-9
47	-7
48	-7
49	-6



putnummers

zuidoostzijde

putnr	min put peil
51	-27
52	-27
53	-22
54	-21
55	-20
56	-19
57	-18
58	-17
59	-15
60	-14
61	-12
62	-11
63	-10
64	-9
65	-7
66	-7
67	-6