



Meter	HI98494
Meter ID	---
Meter SN	M03210033111
Meter Firmware	v1.03
Probe Type	HI7698494
Probe ID	Probe
Probe SN	103240010121
Probe Firmware	v1.01
Cap Model	HI764113-1
Cap SN	926E788F500104E0
Start Date	12/14/2022
Lot Name	D03-14m
Log Interval	00:00:15
EC Ref. Temp.	25 °C
EC Temp. Coeff.	1.9%/ °C
TDS Factor	0.5
Remarks	---
Parameters	pH mVORP DO Saturation DO Concentration Conductivity Temperature

GLP pH	Date	Time	Cal. Buff(pH)	Offset	Slope
1	07-02-2023	20:07:13	4,01 (H), 7,01 (H), 10,01 (H*)	4,0mV	A: 97% B: 97%
2	14-12-2022	15:29:57	4,01 (H), 7,01 (H), 10,01 (H*)	6,2mV	A: 97% B: 99%
3	09-09-2022	10:42:13	4,01 (H), 7,01 (H), 10,01 (H*)	6,7mV	A: 99% B: 99%
4	15-06-2022	13:46:30	4,01 (H), 7,01 (H), 10,01 (H)	3,0mV	A: 96% B: 97%
5	----	----	----	----	----

GLP ORP	Date	Time	Point	Offset
1	07-02-2023	20:04:28	470,0 mVORP	12,2mV
2	15-06-2022	13:48:50	230,0 mVORP	-0,9mV
3	----	----	----	----
4	----	----	----	----
5	----	----	----	----

GLP DO	Date	Time	Point
1	14-03-2023	15:49:15	Point1: 100,0 % DO Saturation (H) Point2: 0,0 % DO Saturation (H)
2	07-02-2023	20:11:36	Point: 100,0 % DO Saturation (H)
3	14-12-2022	15:32:32	Point1: 100,0 % DO Saturation (H) Point2: 0,0 % DO Saturation (H)
4	----	----	----
5	----	----	----

GLP EC	Date	Time	Point	Offset	Cell Factor
1	07-02-2023	20:09:57	1,413 mS/cm Conductivity(H)	0,000 mS/cm	4,941/cm
2	14-12-2022	15:23:52	1,413 mS/cm Conductivity(H)	0,000 mS/cm	4,934/cm
3	09-09-2022	11:03:03	1,413 mS/cm Conductivity(H)	0,000 mS/cm	4,503/cm
4	15-06-2022	13:48:20	5,0 mS/cm Conductivity(H)	0,000 mS/cm	4,542/cm
5	----	----	----	----	----

GLP Temperature	Date	Time	Point
1	----	----	----
2	----	----	----
3	----	----	----
4	----	----	----
5	----	----	----

GLP Pressure	Date	Time	Point

Rec	Date	Time	pH	mVORP	%DO	mg/LDO	μS/cm	°C
1	22-03-2023	09:08:13	7,07	-63,5	9,8	0,97	1041	11,40
2	22-03-2023	09:08:28	7,07	-62,4	9,5	0,95	1065	11,44
3	22-03-2023	09:08:43	7,08	-62,0	9,1	0,91	1096	11,48
4	22-03-2023	09:08:58	7,07	-63,7	8,7	0,86	1123	11,51
5	22-03-2023	09:09:13	7,07	-66,5	8,6	0,86	1143	11,54
6	22-03-2023	09:09:28	7,06	-69,4	8,9	0,88	1170	11,54
7	22-03-2023	09:09:43	7,05	-71,5	5,0	0,49	1220	11,54
8	22-03-2023	09:09:58	7,05	-73,7	0,5	0,05	1223	11,56
9	22-03-2023	09:10:13	7,04	-75,6	-	-	1237	11,57
10	22-03-2023	09:10:28	7,04	-76,9	-	-	1246	11,58
11	22-03-2023	09:10:43	7,03	-78,1	-	-	1254	11,58
12	22-03-2023	09:10:58	7,03	-79,2	-	-	1259	11,57
13	22-03-2023	09:11:13	7,02	-80,1	-	-	1264	11,57
14	22-03-2023	09:11:28	7,02	-80,9	-	-	1269	11,57
15	22-03-2023	09:11:43	7,02	-81,5	-	-	1274	11,57
16	22-03-2023	09:11:58	7,02	-82,1	-	-	1276	11,58
17	22-03-2023	09:12:13	7,02	-82,7	-	-	1281	11,58
18	22-03-2023	09:12:28	7,02	-83,1	-	-	1283	11,59
19	22-03-2023	09:12:43	7,01	-83,5	-	-	1284	11,60
20	22-03-2023	09:12:58	7,01	-83,7	-	-	1285	11,60
21	22-03-2023	09:13:13	7,01	-83,9	-	-	1286	11,60
22	22-03-2023	09:13:28	7,01	-84,1	-	-	1286	11,62
23	22-03-2023	09:13:43	7,00	-84,2	-	-	1286	11,64
24	22-03-2023	09:13:58	7,00	-84,3	-	-	1286	11,65
25	22-03-2023	09:14:13	7,00	-84,4	-	-	1286	11,66
26	22-03-2023	09:14:28	7,00	-84,6	-	-	1286	11,66
27	22-03-2023	09:14:43	7,00	-84,8	-	-	1287	11,67
28	22-03-2023	09:14:58	7,00	-84,8	-	-	1287	11,67
29	22-03-2023	09:15:13	7,00	-84,8	-	-	1286	11,68
30	22-03-2023	09:15:28	7,00	-84,8	-	-	1285	11,67
31	22-03-2023	09:15:43	7,00	-84,8	-	-	1285	11,66
32	22-03-2023	09:15:58	6,99	-84,8	-	-	1284	11,67
33	22-03-2023	09:16:13	6,99	-84,9	-	-	1284	11,68
34	22-03-2023	09:16:28	6,99	-84,9	-	-	1283	11,69
35	22-03-2023	09:16:43	6,99	-84,9	-	-	1283	11,69
36	22-03-2023	09:16:58	6,99	-84,9	-	-	1283	11,69
37	22-03-2023	09:17:13	6,99	-84,9	-	-	1283	11,70

Rec	Date	Time	pH	mVORP	%DO	mg/LDO	μS/cm	°C
38	22-03-2023	09:17:28	6,99	-85,0	-	-	1283	11,70
39	22-03-2023	09:17:43	6,99	-85,2	-	-	1285	11,70
40	22-03-2023	09:17:58	6,99	-85,4	-	-	1286	11,69
41	22-03-2023	09:18:13	6,99	-85,6	-	-	1286	11,67
42	22-03-2023	09:18:28	6,99	-85,6	-	-	1286	11,65
43	22-03-2023	09:18:43	6,99	-85,7	-	-	1286	11,65
44	22-03-2023	09:18:58	6,99	-85,7	-	-	1286	11,65
45	22-03-2023	09:19:13	6,99	-85,8	-	-	1286	11,65
46	22-03-2023	09:19:28	6,99	-86,0	-	-	1286	11,65
47	22-03-2023	09:19:43	6,99	-86,2	-	-	1287	11,66
48	22-03-2023	09:19:58	6,99	-86,3	-	-	1289	11,66
49	22-03-2023	09:20:13	6,99	-86,6	-	-	1289	11,67
50	22-03-2023	09:20:28	6,99	-86,8	-	-	1291	11,67
51	22-03-2023	09:20:43	7,00	-87,0	-	-	1292	11,67
52	22-03-2023	09:20:58	7,00	-87,3	-	-	1293	11,68